



## Safety data sheet according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

### 1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** Permashade™ LC Veneer Cement (All Shades)

· **Article number:**

SDS 255-001.07R01, 71102, 71103, 71104, 71105, 71113, 71114, 71116, 71125, 35100, 35112, 5227, 35101, 5229, 35102, 5230, 35103, 5228

· **Relevant identified uses of the substance or mixture and uses advised against**

Professional Dental Light Cure Veneer Cement

· **Application of the substance / the mixture** Professional Dental Light Cure Veneer Cement

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

(800) 552-5512

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Office Phone: +49(0)2203-35-92-0

· **Further information obtainable from:** Customer Service

· **Emergency telephone number:**

CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300

(INTERNATIONAL) : +(703) 527-3887

### 2 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



Skin Sens. 1 H317 May cause an allergic skin reaction.

· **Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

Triethylene Glycol Dimethacrylate

· **Hazard statements**

H317 May cause an allergic skin reaction.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

(Contd. on page 2)

# Safety data sheet

## according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 1)

- P103 Read carefully and follow all instructions.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P280 Wear protective gloves.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P321 Specific treatment (see on this label).  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 3 Composition/information on ingredients

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 109-16-0	Triethylene Glycol Dimethacrylate	≥1-≤10%
EINECS: 203-652-6	⚠ Skin Sens. 1, H317	
CAS: 10287-53-3	Ethyl-4-Dimethylamino Benzoate	≥0.1-<1%
EINECS: 233-634-3	⚠ Repr. 1B, H360; ⚠ Aquatic Chronic 2, H411	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

(Contd. on page 3)

# Safety data sheet according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 2)

- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See product labelling.
- **Specific end use(s)** Professional Dental Light Cure Veneer Cement

## 8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Safety data sheet

## according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 3)

- **Eye/face protection** Goggles recommended during refilling
- **Body protection:** Protective work clothing

### 9 Physical and chemical properties

#### · Information on basic physical and chemical properties

##### · General Information

- |                                                                   |                                   |
|-------------------------------------------------------------------|-----------------------------------|
| · <b>Physical state</b>                                           | Fluid                             |
| · <b>Colour:</b>                                                  | Shade dependent                   |
| · <b>Odour:</b>                                                   | Acrylic                           |
| · <b>Odour threshold:</b>                                         | Not determined.                   |
| · <b>Melting point/freezing point:</b>                            | Undetermined.                     |
| · <b>Boiling point or initial boiling point and boiling range</b> | Undetermined.                     |
| · <b>Flammability</b>                                             | Not applicable.                   |
| · <b>Lower and upper explosion limit</b>                          |                                   |
| · <b>Lower:</b>                                                   | Not determined.                   |
| · <b>Upper:</b>                                                   | Not determined.                   |
| · <b>Flash point:</b>                                             | >150 °C                           |
| · <b>Decomposition temperature:</b>                               | Not determined.                   |
| · <b>pH</b>                                                       | Not applicable (non-aqueous)      |
| · <b>Viscosity:</b>                                               |                                   |
| · <b>Kinematic viscosity</b>                                      | Not determined.                   |
| · <b>Dynamic:</b>                                                 | Not determined.                   |
| · <b>Solubility</b>                                               |                                   |
| · <b>water:</b>                                                   | Not miscible or difficult to mix. |
| · <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined.                   |
| · <b>Vapour pressure:</b>                                         | Not determined.                   |
| · <b>Density and/or relative density</b>                          |                                   |
| · <b>Density at 20 °C:</b>                                        | 1.85-1.95 g/cm <sup>3</sup>       |
| · <b>Relative density</b>                                         | Not determined.                   |
| · <b>Vapour density</b>                                           | Not determined.                   |

#### · Other information

- |                                                                                        |                                               |
|----------------------------------------------------------------------------------------|-----------------------------------------------|
| · <b>Appearance:</b>                                                                   |                                               |
| · <b>Form:</b>                                                                         | Viscous Liquid                                |
| · <b>Important information on protection of health and environment, and on safety.</b> |                                               |
| · <b>Ignition temperature:</b>                                                         | Product is not selfigniting.                  |
| · <b>Explosive properties:</b>                                                         | Product does not present an explosion hazard. |
| · <b>Change in condition</b>                                                           |                                               |
| · <b>Evaporation rate</b>                                                              | Not determined.                               |

#### · Information with regard to physical hazard classes

- |                                                |      |
|------------------------------------------------|------|
| · <b>Explosives</b>                            | Void |
| · <b>Flammable gases</b>                       | Void |
| · <b>Aerosols</b>                              | Void |
| · <b>Oxidising gases</b>                       | Void |
| · <b>Gases under pressure</b>                  | Void |
| · <b>Flammable liquids</b>                     | Void |
| · <b>Flammable solids</b>                      | Void |
| · <b>Self-reactive substances and mixtures</b> | Void |
| · <b>Pyrophoric liquids</b>                    | Void |
| · <b>Pyrophoric solids</b>                     | Void |

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 4)

- |                                                                                    |      |
|------------------------------------------------------------------------------------|------|
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>                                                         | Void |
| · <b>Oxidising solids</b>                                                          | Void |
| · <b>Organic peroxides</b>                                                         | Void |
| · <b>Corrosive to metals</b>                                                       | Void |
| · <b>Desensitised explosives</b>                                                   | Void |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**109-16-0 Triethylene Glycol Dimethacrylate**

Oral	LD50	>5,000 mg/kg (rat)
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (mouse)

- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

**109-16-0 Triethylene Glycol Dimethacrylate**

EC50	>100 mg/kg (Algae)
Biodegradability	28 days (Aerobic) (Biodegradability testing)
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 5)

- **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |                                                                  |                 |
|------------------------------------------------------------------|-----------------|
| · <b>UN number or ID number</b>                                  |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                    | not regulated   |
| · <b>UN proper shipping name</b>                                 |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                    | not regulated   |
| · <b>Transport hazard class(es)</b>                              |                 |
| · <b>ADR, ADN, IMDG, IATA</b>                                    |                 |
| · <b>Class</b>                                                   | not regulated   |
| · <b>Packing group</b>                                           |                 |
| · <b>ADR, IMDG, IATA</b>                                         | not regulated   |
| · <b>Environmental hazards:</b>                                  | Not applicable. |
| · <b>Special precautions for user</b>                            | Not Applicable  |
| · <b>Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>                                  | not regulated   |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **NIOSH-Ca (National Institute for Occupational Safety and Health)**  
None of the ingredients is listed.
- **Poisons Act**
- **Regulated explosives precursors**  
None of the ingredients is listed.
- **Regulated poisons**  
None of the ingredients is listed.

(Contd. on page 7)

# Safety data sheet according to UK REACH

Printing date 22.07.2025

Version number 1

Revision: 22.07.2025

**Trade name: Permashade™ LC Veneer Cement (All Shades)**

(Contd. of page 6)

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **\* Data compared to the previous version altered.**