



Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** Opalescence Go™ 10-15% HP PF (Mint or Melon)

· **Article number:**

SDS 372-001.06R01, 15053, 15054, 71048, 89198, S4630, S4635-CA, S4635-CN, 1010506, 1010507, 1011723, 1011741, 1013220, 1013222, 1013465, 1013470, 4635-CA, 4635-CN, 1010524, 1011730, 1011743, 1013083, 1013084, 1013085, 1013221, 1013223, 1013467, 1013471, 4638-CA, 4638-CN, 4648-CA, 89201, 4894-CA, 4894-CN, 6245, S4633, S4633-CA, S4633-CN

· **Relevant identified uses of the substance or mixture and uses advised against**

Professional Dental Teeth Whitening Gel

· **Application of the substance / the mixture** Professional Dental Teeth Whitening Gel

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

EC Responsible Person
Ultradent Products GmbH
Am Westhoyer Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Office Phone: +49(0)2203-35-92-0

· **Further information obtainable from:** Customer Service

· **Emergency telephone number:**

CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



flame over circle

Ox. Liq. 1 H271 May cause fire or explosion; strong oxidiser.



corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** Void

· **Hazard pictograms** GHS03, GHS05

(Contd. on page 2)

Safety data sheet

according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 1)

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Hydrogen Peroxide

Carbamide Peroxide

Sodium Hydroxide

· **Hazard statements**

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P283 Wear fire resistant or flame retardant clothing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· **Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 56-81-5 EINECS: 200-289-5	Glycerin substance with a Community workplace exposure limit	≥0-<40%
CAS: 7722-84-1 EINECS: 231-765-0	Hydrogen Peroxide ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 %	≥7-≤15%
CAS: 124-43-6 EINECS: 204-701-4	Carbamide Peroxide ⚠ Ox. Sol. 3, H272; ⚠ Skin Corr. 1B, H314	≥5-≤10%
CAS: 1310-73-2 EINECS: 215-185-5	Sodium Hydroxide ⚠ Skin Corr. 1A, H314	≥1-<5%
CAS: 7757-79-1 EINECS: 231-818-8	Potassium Nitrate ⚠ Ox. Sol. 2, H272; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335-H336	≥0.1-≤3%

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 2)

	Artificial Watermelon ⚠ Flam. Liq. 3, H226	≥0-≤3%
CAS: 8006-90-4 EINECS: 282-015-4	Oils, Peppermint ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319; ⚠ Skin Sens. 1, H317	≥0-<1%
CAS: 7681-49-4 EINECS: 231-667-8	Sodium Fluoride ⚠ Acute Tox. 3, H301; ⚠ Acute Tox. 2, H310; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319, EUH032	≥0.1-<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
This product is a viscous gel, therefore chance of inhalation is extremely low.
Seek medical treatment in case of complaints.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
If swallowed in large quantities seek medical attention.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters:**
- **Protective equipment:**
Wear fully protective suit.
Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 3)

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

See product labelling.

Keep container tightly sealed.

· **Specific end use(s)** Professional Dental Teeth Whitening Gel

8 Exposure controls/personal protection

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerin

WEL Long-term value: 10 mg/m³

7722-84-1 Hydrogen Peroxide

WEL Short-term value: 2.8 mg/m³, 2 ppm

Long-term value: 1.4 mg/m³, 1 ppm

1310-73-2 Sodium Hydroxide

WEL Short-term value: 2 mg/m³

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 4)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	Colorless to White
· Odour:	Product specific
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	5.2-7.4
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 5)

- **Other information**
- **Appearance:**
- **Form:** Gel
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
Explosive when mixed with combustible material.
- **Change in condition**
- **Evaporation rate** Not determined.
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** May cause fire or explosion; strong oxidiser.
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

10 Stability and reactivity

- **Reactivity** Stable
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Excess heat
- **Incompatible materials:** Strong caustics, most metals
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	3,289-4,900 mg/kg
Dermal	LD50	70,000 mg/kg
Inhalative	LC50/4 h	85.9-141 mg/l

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 6)

56-81-5 Glycerin

Oral	LD50	7,750 mg/kg (guinea pig) 4,100 mg/kg (mouse) 5,570 mg/kg (rat) 27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat) 10,000 mg/kg (rabbit)

7722-84-1 Hydrogen Peroxide

Oral	LC50 Fish	16.4 mg/l (Fish)
------	-----------	------------------

124-43-6 Carbamide Peroxide

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

1310-73-2 Sodium Hydroxide

Oral	LD50	130-340 mg/kg (rat)
	LC50 Fish	160 mg/l (Fish)
Dermal	LD50	1,350 mg/kg (rabbit)
	Absolute lethal concentration	180 ppm (Fish)

7757-79-1 Potassium Nitrate

Oral	LD50	3,015 mg/kg (rat) 1,901 mg/kg (rabbit)
	LC50 Fish	1,378 mg/l (Fish)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50(Daphnia magna)	490 mg/l (daphnia)

8006-90-4 Oils, Peppermint

Oral	LD50	2,490 mg/kg (mouse) 2,426 mg/kg (rat)
------	------	--

7681-49-4 Sodium Fluoride

Oral	LD50	52 mg/kg (mouse)
	LC50 Fish (static)	17 mg/l (Fish)
Dermal	LD50	175 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· Toxicity
· Aquatic toxicity:
56-81-5 Glycerin

EC50	>10,000 mg/kg (Bacteria)
------	--------------------------

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 7)

7722-84-1 Hydrogen Peroxide

EC50	1.38 mg/l (Algae)
	2.4 mg/l (daphnia)

1310-73-2 Sodium Hydroxide

EC50	40.38 mg/kg (Water Flea)
------	--------------------------

7681-49-4 Sodium Fluoride

EC50	272 mg/kg (Algae)
	98 mg/kg (daphnia)
Algae Toxicity (static)	7 mg/l (Algae)

- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Must not reach sewage water or drainage ditch undiluted or unneutralised.
 Danger to drinking water if even small quantities leak into the ground.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN number or ID number**
- **ADR, ADN, IMDG, IATA** *not regulated*
- **UN proper shipping name**
- **ADR, ADN, IMDG, IATA** *not regulated*
- **Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** *not regulated*
- **Packing group**
- **ADR, IMDG, IATA** *not regulated*
- **Environmental hazards:** *Not applicable.*

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 8)

· **Special precautions for user** *Not Applicable*

· **Maritime transport in bulk according to IMO instruments** *Not applicable.*

· **UN "Model Regulation":** *not regulated*

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Poisons Act**

· **Regulated explosives precursors**

7722-84-1	Hydrogen Peroxide	12%
-----------	-------------------	-----

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

7757-79-1	Potassium Nitrate	Listed
-----------	-------------------	--------

· **Reportable poisons**

1310-73-2	Sodium Hydroxide	12% of total caustic alkalinity
7681-49-4	Sodium Fluoride	Listed

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **Seveso category P8** *OXIDISING LIQUIDS AND SOLIDS*

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** *50 t*

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** *200 t*

· **Chemical safety assessment:** *A chemical safety assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**

- H226 *Flammable liquid and vapour.*
- H271 *May cause fire or explosion; strong oxidiser.*
- H272 *May intensify fire; oxidiser.*
- H301 *Toxic if swallowed.*
- H302 *Harmful if swallowed.*
- H304 *May be fatal if swallowed and enters airways.*
- H310 *Fatal in contact with skin.*
- H314 *Causes severe skin burns and eye damage.*
- H315 *Causes skin irritation.*
- H317 *May cause an allergic skin reaction.*
- H318 *Causes serious eye damage.*
- H319 *Causes serious eye irritation.*
- H332 *Harmful if inhaled.*
- H335 *May cause respiratory irritation.*

(Contd. on page 10)

Safety data sheet according to UK REACH

Printing date 13.10.2025

Version number 1

Revision: 13.10.2025

Trade name: Opalescence Go™ 10-15% HP PF (Mint or Melon)

(Contd. of page 9)

H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.
 EUH032 Contact with acids liberates very toxic gas.

· **Department issuing SDS:** Environmental, Health, and Safety

· **Contact:** Customer Service

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Ox. Liq. 1: Oxidizing liquids – Category 1

Ox. Sol. 2: Oxidizing solids – Category 2

Ox. Sol. 3: Oxidizing solids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**