Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

*
1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name: Opalescence™ Boost 35% Non-PF (Mixed)**

· **Article number:** SDS 390-001.03R01, 1005860, 1005861, 13651, 4487-JP, 4488-JP, 6233-JP
· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture** Professional Dental Bleaching Gel

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512

EC Responsible Person
Ultradent Products GmbH
Am Westhover Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Office Phone: +49(0)2203-35-92-0

· **Further information obtainable from:** Customer Service
· **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

· **Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**


flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidiser.


corrosion

Eye Dam. 1 H318 Causes serious eye damage.

Skin Irrit. 2 H315 Causes skin irritation.

· **Label elements**
· **Labelling according to Regulation (EC) No 1272/2008** Void
· **Hazard pictograms** GHS03, GHS05

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**
Hydrogen Peroxide
· **Hazard statements**
H272 May intensify fire; oxidiser.
H315 Causes skin irritation.
H318 Causes serious eye damage.
· **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· **Mixtures**
· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 56-81-5 EINECS: 200-289-5	Glycerin substance with a Community workplace exposure limit	>25-≤50%
CAS: 7722-84-1 EINECS: 231-765-0	Hydrogen Peroxide Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 %	>10-≤25%
	Synthetic Amorphous, Pyrogenic Silica substance with a Community workplace exposure limit	1-10%
CAS: 1310-58-3 EINECS: 215-181-3	Potassium Hydroxide Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≤2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 2)

4 First aid measures

· **Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:**
This product is a viscous gel, therefore chance of inhalation is extremely low.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Do not induce vomiting; call for medical help immediately.
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
Water spray
Use fire extinguishing methods suitable to surrounding conditions.
· **Special hazards arising from the substance or mixture**
In closed unventilated containers, risk of rupture due to the increased pressure from decomposition. Contact with combustible material may cause fire.
· **Advice for firefighters:**
Use water spray to cool fire exposed surfaces and protect personnel. Move containers from fire area if there isn't any risk.
· **Protective equipment:** Wear fully protective suit.
· **Additional information**
Move containers from fire area if there isn't any risk.
Cool endangered receptacles with water spray.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Keep away from ignition sources.
Keep people at a distance and stay on the windward side.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Hydrogen Peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%.
Stop the flow of material, if this is without risk.
Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.
Dilute with plenty water.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Safety data sheet
according to UK REACH

(Contd. of page 3)

Use neutralising agent.
Dispose contaminated material as waste according to section 13.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling:**
Safety glasses should be used by the patient and doctor. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EN).
· **Information about fire - and explosion protection:**
Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in fire.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Provide ventilation for receptacles.
Suitable material for receptacles and pipes: Stainless steel.
Suitable material for receptacles and pipes: Aluminium.
Suitable material for receptacles and pipes: glass.
Store only in the original receptacle.
· **Information about storage in one common storage facility:**
Store away from combustible materials.
Store away from reducing agents.
Store away from metals.
· **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Store in a cool place.
See product labelling.
Keep container tightly sealed.
· **Specific end use(s)** *Professional Dental Bleaching Gel*

8 Exposure controls/personal protection

· **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
56-81-5 Glycerin	
WEL	Long-term value: 10 mg/m³
7722-84-1 Hydrogen Peroxide	
WEL	Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm
Synthetic Amorphous, Pyrogenic Silica	
TWA	Short-term value: 6 mg/m³
1310-58-3 Potassium Hydroxide	
WEL	Short-term value: 2 mg/m³

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 4)

· **Additional information:** The lists valid during the making were used as basis.

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Do not eat or drink while working.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
· **Respiratory protection:** Not required.
· **Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material**
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**

Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	Fluid
· **Colour:**	Light Orange to Pink
· **Odour:**	Odourless
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable.
· **Decomposition temperature:**	Not determined.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 5)

· **pH at 20 °C**	6.5-8.5
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Fully miscible.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20 °C:**	1.24 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.

· **Other information**	
· **Appearance:**	
· **Form:**	Gel
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product does not present an explosion hazard.
· **Change in condition**	
· **Evaporation rate**	Not determined.

· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	May intensify fire; oxidiser.
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** Decomposes when exposed to heat
· **Possibility of hazardous reactions:**
Contact with metals, metallic ions, alkalis, reducing agents and organic matter (such as alcohols or terpenes) may produce self-accelerated thermal decomposition.
Reacts with various metals.
Reacts with organic substances.

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 6)

· **Conditions to avoid:**
pH Variations
UV rays
Contamination
· **Incompatible materials:**
Heavy Metals
Combustible Materials
Reducing Agents
Alkalis
Organic materials
· **Hazardous decomposition products:** Oxygen

11 Toxicological information

· **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	2,041 mg/kg
Inhalative	LC50/4 h	44.9 mg/l

56-81-5 Glycerin

Oral	LD50	7,750 mg/kg (guinea pig)
		4,100 mg/kg (mouse)
		5,570 mg/kg (rat)
		27,000 mg/kg (rabbit)
	LC50 Fish	>5,000 mg/l (Fish)
Dermal	LD50	>21,900 mg/kg (rat)
		10,000 mg/kg (rabbit)

7722-84-1 Hydrogen Peroxide

Oral	LC50 Fish	16.4 mg/l (Fish)

Synthetic Amorphous, Pyrogenic Silica

Oral	LD50	>5,000 mg/kg (rat) (Oral Test Method)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (rabbit) (Dermal test method)
	LC50(Daphnia magna)	>1,000-10,000 mg/l (daphnia) (Toxicity to aquatic invertebrates)

1310-58-3 Potassium Hydroxide

Oral	LD50	214 mg/kg (rat)
	LC50 Fish	80 mg/l (Fish)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye damage.
· **Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 Version number 1 Revision: 10.10.2025

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 7)

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**	
56-81-5 Glycerin	
EC50	>10,000 mg/kg (Bacteria)
7722-84-1 Hydrogen Peroxide	
EC50	1.38 mg/l (Algae) 2.4 mg/l (daphnia)

· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation**
Do not allow product to reach sewage system.
Dispose of contents/container in accordance with international, federal, state, and local regulations.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· **UN number or ID number**	
· **ADR, IMDG, IATA**	UN2014
· **UN proper shipping name**	
· **ADR**	2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· **IMDG, IATA**	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
· **Transport hazard class(es)**	

· **ADR**

· **Class**	5.1 Oxidising substances.

(Contd. on page 9)

Safety data sheet
according to UK REACH

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 8)

· **Label**	5.1+8
· **IMDG**	
	
· **Class**	5.1 Oxidising substances.
· **Label**	5.1/8
· **IATA**	
	
· **Class**	5.1 Oxidising substances.
· **Label**	Forbidden
· **Packing group**	
· **ADR, IMDG, IATA**	II
· **Environmental hazards:**	Not applicable.
· **Special precautions for user**	Warning: Oxidising substances.
· **Hazard identification number (Kemler code):**	58
· **EMS Number:**	F-H,S-Q
· **Segregation groups**	(SGG16) Peroxides
· **Stowage Category**	D
· **Stowage Code**	SW1 Protected from sources of heat.
· **Segregation Code**	SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" SGG14-permanganates SG72 See 7.2.6.3.2.
· **Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **UN "Model Regulation":**	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

(Contd. on page 10)

Safety data sheet
according to UK REACH

(Contd. of page 9)

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Poisons Act**

· **Regulated explosives precursors**

7722-84-1	Hydrogen Peroxide	12%

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

1310-58-3	Potassium Hydroxide	17% of total caustic alkalinity

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category** P8 OXIDISING LIQUIDS AND SOLIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
· **Chemical safety assessment:**
Product contains high levels of hydrogen peroxide, which has a known toxicological profile. Product is only to be used by licensed dental professionals using the specified engineering controls.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases from Section 3**
H271 May cause fire or explosion; strong oxidiser.
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

· **Department issuing SDS:** Environmental, Health, and Safety
· **Contact:** Customer Service
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Safety data sheet
according to UK REACH

Printing date 10.10.2025 *Version number 1* *Revision: 10.10.2025*

Trade name: Opalescence™ Boost 35% Non-PF (Mixed)

(Contd. of page 10)

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
ATE: Acute toxicity estimate values
Ox. Liq. 1: Oxidizing liquids – Category 1
Ox. Liq. 2: Oxidizing liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
· **** Data compared to the previous version altered.***