



Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

1 Identification

- **Product identifier**
- **Trade name:** Consepsis™ Scrub
- **Article number:** SDS 403-001.04R01, 10969, 14493, 689
- **Application of the substance / the mixture** Professional Dental Chlorhexidine Gluconate Slurry
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.
Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irritation 2 H315 Causes skin irritation.
Sensitization - Skin 1 H317 May cause an allergic skin reaction.
Eye Irritation 2B H320 Causes eye irritation.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** GHS02, GHS07, GHS08
- **Signal word** Warning
- **Health Hazard-determining components of labeling:**
Siloxane Polyalkyleneoxide Copolymer
Aspartame
Oils, Peppermint

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 1)

· **Hazard statements**

- H226 *Flammable liquid and vapor.*
 H315+H320 *Causes skin and eye irritation.*
 H317 *May cause an allergic skin reaction.*
 H351 *Suspected of causing cancer.*
 H361 *Suspected of damaging fertility or the unborn child.*

· **Precautionary statements**

- P201 *Obtain special instructions before use.*
 P202 *Do not handle until all safety precautions have been read and understood.*
 P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
 P233 *Keep container tightly closed.*
 P240 *Ground/bond container and receiving equipment.*
 P241 *Use explosion-proof electrical/ventilating/lighting/equipment.*
 P242 *Use only non-sparking tools.*
 P243 *Take precautionary measures against static discharge.*
 P261 *Avoid breathing dust/fume/gas/mist/vapors/spray*
 P264 *Wash thoroughly after handling.*
 P272 *Contaminated work clothing must not be allowed out of the workplace.*
 P280 *Wear protective gloves/protective clothing/eye protection/face protection.*
 P303+P361+P353 *If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
 P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
 P308+P313 *IF exposed or concerned: Get medical advice/attention.*
 P321 *Specific treatment (see on this label).*
 P362+P364 *Take off contaminated clothing and wash it before reuse.*
 P333+P313 *If skin irritation or rash occurs: Get medical advice/attention.*
 P337+P313 *If eye irritation persists: Get medical advice/attention.*
 P363 *Wash contaminated clothing before reuse.*
 P370+P378 *In case of fire: Use CO2, powder or water spray to extinguish.*
 P403+P235 *Store in a well-ventilated place. Keep cool.*
 P405 *Store locked up.*
 P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



* 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 2)

· Dangerous components:		
14808-60-7	Silica Glass	≥10-<60%
25322-68-3	Polyethylene Glycol	>10-≤25%
64-17-5	Ethyl Alcohol	≥0-≤10%
	Trade Secret	1-10%
	Siloxane Polyalkyleneoxide Copolymer	1-10%
22839-47-0	Aspartame	≥0.1-<1%
8006-90-4	Oils, Peppermint	≥0.1-<1%

· **Additional information:**

The specific chemical identity of composition is being withheld as a trade secret. The specific chemical identity is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**· **Suitable extinguishing agents:**

CO₂ extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 3)

- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:**
See product labelling.
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional Dental Chlorhexidine Gluconate Slurry

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

14808-60-7 Silica Glass

PEL	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m ³ /%SiO ₂ +2
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	Long-term value: 0.025* mg/m ³ *respirable particulate matter, A2

25322-68-3 Polyethylene Glycol

WEEL	Long-term value: 10 mg/m ³ (H); MW>200
------	--

64-17-5 Ethyl Alcohol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
STEL	Short-term value: 1000 mg/m ³

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: Consepsis™ Scrub

(Contd. of page 4)

TLV	Short-term value: 1880 mg/m ³ , 1000 ppm A3
TWA	Short-term value: 1900 mg/m ³
Trade Secret	
TWA	Short-term value: 0.8 mg/m ³
22839-47-0 Aspartame	
ACGIH TWA	Short-term value: 3* 10 mg/m ³
OSHA TWA	Short-term value: 5* 15 mg/m ³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 5)

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Paste
Color:	Green
Odor:	Characteristic
Odor threshold:	Not determined

- **pH-value at 20 °C:** 5-7

- **Change in condition**

Melting point/Melting range:	Undetermined
Boiling point/Boiling range:	Undetermined

- **Flash point:** 34 °C

- **Flammability:** Flammable.

- **Auto igniting:** 363 °C

- **Decomposition temperature:** Not determined

- **Ignition temperature:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:	3.5 Vol %
Upper:	15 Vol %

- **Vapor pressure:** Not determined

- **Density at 20 °C:** 1.57 g/cm³

- **Relative density** Not determined

- **Vapor density** Not determined

- **Evaporation rate** Not determined

- **Solubility in / Miscibility with**

- **Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined

- **Viscosity:**

Dynamic:	Not determined
Kinematic:	Not determined

- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- **Chemical stability**

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- **Possibility of hazardous reactions** No dangerous reactions known.

- **Conditions to avoid**

- Ignition sources
- Flames

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 6)

Heat

· **Incompatible materials:** No further relevant information available.· **Hazardous decomposition products:**

Hydrogen chloride (HCl)

Oxides of Carbon

Nitrogen oxides

Ammonia

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Inhalative	LC50/4 h	2.97 mg/l
------------	----------	-----------

25322-68-3 Polyethylene Glycol

Oral	LD50	19,600 mg/kg (guinea pig) 17,300 mg/kg (mouse) >10,000 mg/kg (rat)
	LC50 Fish	>100 mg/l (Fish)
Dermal	LD50	>20,000 mg/kg (rabbit)
	LC50(Daphnia magna)	>10,000 mg/l (Water Flea) (Toxicity to aquatic invertebrates)

64-17-5 Ethyl Alcohol

Oral	LD50	5,600 mg/kg (guinea pig) 3,400 mg/kg (mouse) 7,060 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish)
Inhalative	LC50/4 h	39 mg/l (mouse) 20,000 mg/l (rat)

Trade Secret

Oral	LD50	>15,000 mg/kg (mouse) >3,300 mg/kg (rat)
	LC50 Fish	>10,000 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>5,000 mg/kg (rabbit)
	Inhalative	LC50/4 h

22839-47-0 Aspartame

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

8006-90-4 Oils, Peppermint

Oral	LD50	2,490 mg/kg (mouse) 2,426 mg/kg (rat)
------	------	--

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** Sensitization possible through skin contact.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 7)

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

14808-60-7	Silica Glass	I
22839-47-0	Aspartame	2B

- **NTP (National Toxicology Program)**

14808-60-7	Silica Glass	K
------------	--------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

64-17-5 Ethyl Alcohol	
Algae Toxicity	1,000 mg/l (Algae)
Trade Secret	
EC50	>1,000 mg/kg (daphnia)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable

- **vPvB:** Not applicable

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS



Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 8)

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA 	<p style="margin: 0;">UN1987</p>
<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA 	<p style="margin: 0;">Alcohols, n.o.s. (Ethyl Alcohol) ALCOHOLS, N.O.S. (Ethyl Alcohol)</p>
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  <p>3</p> </div>
<ul style="list-style-type: none"> · Class · Label 	<p style="margin: 0;">3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  <p>3</p> </div>
<ul style="list-style-type: none"> · Class · Label 	<p style="margin: 0;">3 Flammable liquids 3</p>
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	<p style="margin: 0;">III</p>
<ul style="list-style-type: none"> · Environmental hazards: 	<p style="margin: 0;">Not Applicable.</p>
<ul style="list-style-type: none"> · Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category 	<p style="margin: 0;">Warning: Flammable liquids 36 F-E,S-D A</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p style="margin: 0;">Not Applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	<p style="margin: 0;">On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p style="margin: 0;">5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p style="margin: 0;">UN 1987 ALCOHOLS, N.O.S. (ETHYL ALCOHOL), 3, III</p>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: **Consepsis™ Scrub**

(Contd. of page 9)

· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

14808-60-7	Silica Glass	ACTIVE
25322-68-3	Polyethylene Glycol	ACTIVE
64-17-5	Ethyl Alcohol	ACTIVE
22839-47-0	Aspartame	ACTIVE
8006-90-4	Oils, Peppermint	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**· **Chemicals known to cause cancer:**

14808-60-7 Silica Glass

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 Ethyl Alcohol

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)**

14808-60-7	Silica Glass	A2
64-17-5	Ethyl Alcohol	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

14808-60-7 Silica Glass

· **Chemical safety assessment:**

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Regulatory Compliance· **Contact:** Customer Service· **Date of preparation / last revision** 04/28/2026 / -· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/28/2026

Reviewed on 04/28/2026

Trade name: Consepsis™ Scrub

(Contd. of page 10)

*NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flammable Liquids 3: Flammable liquids – Category 3**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B**Sensitization - Skin 1: Skin sensitisation – Category 1**Carcinogenicity 2: Carcinogenicity – Category 2**Toxic to Reproduction 2: Reproductive toxicity – Category 2**** Data compared to the previous version altered.**

US